

Retatrutide | 60 MG / VIAL

CAS 2381089-83-2

BATCH / LOT	CLIENT	PHYSICAL FORM	STORAGE
SX-261013-0009	chem labs X	Lyophilized powder	−20 °C desiccated

DATE RECEIVED	DATE ANALYSED	DATE ISSUED	VIALS SUBMITTED
2026-10-25 PDT	2026-10-25 PDT	2026-10-28 PDT	01

INDEPENDENTLY VERIFIABLE

Scan the code, or enter the verification hash printed at the foot of this certificate, to retrieve this record from the Synthesyx portal. A certificate that does not verify did not come from this laboratory.

RESULT SUMMARY

3 OF 6 DOMAINS TESTED · 3 NOT REQUESTED BY CLIENT

IDENTITY	PURITY	CONTENT	STERILITY	ENDOTOXIN	HEAVY METALS
Conforms	99.14 %	105.6 %	Not tested	Not tested	Not tested
RT · UV MATCH · PEAK PURITY	SINGLE VIAL	OF LABELLED CONTENT	NOT REQUESTED BY CLIENT	NOT REQUESTED BY CLIENT	NOT REQUESTED BY CLIENT
CONFORMS	REPORTED	REPORTED	NOT TESTED	NOT TESTED	NOT TESTED


IDENTITY, PURITY & CONTENT

SINGLE-VIAL ANALYSIS

VIAL	IDENTITY	UV MATCH /1000	UV PURITY /1000	RT (MIN)	PURITY (%)	NET PEPTIDE (MG)	% OF LABEL	APPEARANCE
01	✓ Conforms	1000	1000	12.346	99.14	63.33	105.6	White cake
SPECIFICATION		≥ 990	—	± 2 %	REPORTED	REPORTED		WHITE TO OFF-WHITE CAKE

UHPLC-UV CHROMATOGRAM

VIAL 01




DAD · λ 214 NM · VIAL 01, REPRESENTATIVE. PER-VIAL TRACES AVAILABLE VIA THE VERIFICATION PORTAL.

PEAK	RT	AREA	AREA %
Retatrutide	**12.346**	**1,823.200**	**99.14**
Unassigned peak	12.897	15.800	0.86

CALIBRATION

RETATRUTIDE



EXTERNAL STANDARD CALIBRATION · INSTRUMENT OUTPUT

INSTRUMENT
Agilent 1290 Infinity III DAD

DETECTION
DAD 214 nm

ANALYST
Dustin Stephens

Findings apply solely to the sample submitted, as received; handling and storage before arrival lie outside this laboratory's control. Supplied for laboratory research only — no approval for use in humans or animals, or for diagnostic, therapeutic or clinical purposes. Interpretation should be by qualified personnel within the scope of the intended study. Reproduction in part requires written consent.